

De Nora ClorTec® and MIOX® On-site Chemical Generators

**Safe.
Economical.
Effective.**

On-site Chemical Generation



Why De Nora?

Electrochlorination expertise
and innovation

Highest efficiency

Low DBP formation

Operator benefits

Low lifecycle costs



De Nora makes on-site brine electrochlorination easy.

The on-site generation of chlorine-based chemistries provides a safe, economical and effective solution for the treatment of water. For a variety of applications from drinking water treatment to microbiological control in cooling towers, on site generation lets you generate what you need, when you need it.

Ensure the safety of your personnel and the surrounding community using three common consumables - water, salt and electricity - to generate a powerful, effective oxidant without the transportation of hazardous chemicals. Innovative technologies deliver low levels of chlorate by-product formation at the highest efficiency available.

With the benefit of more than 95 years of electrochemistry expertise, De Nora on-site generation systems feature market innovations including small footprint, efficiency, remote monitoring, self-cleaning and simple installation and maintenance. At the heart of every De Nora electrochlorination system are the DSA[®] electrode technology pioneered by De Nora.


Not all water treatment needs are the same

De Nora offers two types of on-site chlorine-based generation systems in a range of sizes to meet the diverse needs of water, wastewater and industrial treatment customers. For reliable, effective generation of a guaranteed 0.8% solution of sodium hypochlorite, De Nora ClorTec[®] on-site hypochlorite generators are designed for high efficiency, low lifecycle cost, durability and reliability.

For more advanced treatment needs, De Nora MIOX[®] on-site mixed oxidant generators are optimized for challenging applications. This chlorine-based solution has all the oxidant power of hypochlorite with additional treatment benefits including biofilm removal, improved water odor and clarity. With mixed oxidant solution, customers maintain more consistent control and residuals with lower dosage.

How it works

ClorTec and MIOX systems use three common consumables: water, salt and power. On-site generators produce chlorine-based disinfectants when a solution of sodium chloride (salt + water) is passed through an electrolytic cell. This process converts the chloride ions present in the solution to either sodium hypochlorite or mixed oxidant solution.



Why on-site generation?

Safety

- Eliminates transportation and storage of hazardous substances
- No hazardous precursors
- No Hazmat PPE or reporting required

Performance

- Eliminates chlorine degradation and associated costs
- Minimizes disinfection by-product production

Economics

- Consistent product quality
- Reduces or eliminates reboosting of chlorine

Sustainability

- 1 truckload of salt replaces 4 trucks of bulk bleach
- Carbon emissions and fuel consumption reduced
- Eliminates the need for non-reusable hazardous chemical containers

ClorTec Sodium Hypochlorite Generators

Chlorine-based chemistry for effective water treatment.

ClorTec 25-100

Generates 25-100 lbs/day Sodium Hypochlorite

- Smallest footprint on the market and modular electrolytic cells offer increased capacity as needed without additional space
- Pre-assembled vertical or free-standing, wall or skid-mounted cabinet packaged for easy installation
- Optional self-cleaning, virtually eliminates acid washing
- Remote monitoring and control capability ensures optimal operation and reduces on-site time requirements
- Designed for high efficiency, low lifecycle cost, durability and reliability
- Easy interface with flow control, air-cooled power supply, corrosion-resistant cabinet and touch-screen display



ClorTec 75-3000

Generates 75-3000 lbs/day Sodium Hypochlorite

- Unique proprietary flow control backboard design for easy and flexible placement
- Duty and standby systems on the same frame reduces footprint by up to 50%
- 100% access to every component
- Acid wash assist feature provides cell cleaning notifications
- Patented split flow design reduces DBP formation and improves efficiency
- Water and brine flow control ensures consistent hypochlorite production



MIOX Mixed Oxidant Generators

Chlorine-based chemistry for advanced applications.

MIOX 2 and MIOX 3.5

Generates 2-3.5 lbs/day Mixed Oxidant Solution.....

- Small footprint, easy to install and operate
- Minimal maintenance: less than 6 maintenance hours per year
- Optional integrated brine tank and remote monitoring capabilities



MIOX 4-8

Generates 4-8 lbs/day Mixed Oxidant Solution.....

- Automatic operation after connection to your water and power source
- Routine operator service only requires acid washing and ensuring salt availability



MIOX 15-60

Generates 15-60 lbs/day Mixed Oxidant Solution.....

- Smallest footprint on the market and modular electrolytic cells offer increased capacity as needed without additional space
- Pre-assembled vertical, wall- or skid-mounted cabinet packaged for easy installation
- Self-cleaning, virtually maintenance-free with minimal operator intervention
- Remote monitoring and control capability ensures optimal operation and reduces on-site time requirements
- Designed for high efficiency, durability and reliability.
- Easy interface with flow control, air-cooled power supply, corrosion-resistant cabinet and touch-screen display



MIOX 60-300

Generates 60-300 lbs/day Mixed Oxidant Solution.....

- Systematically optimized for ease of use, reliability, and performance
- Modular electrolytic cells for up to 5x expanded capacity without additional space
- Pre-engineered and factory tested unit reduces installation costs and footprint
- Self-cleaning, virtually maintenance free design



MIOX 300-1200

Generates 300-1200 lbs/day Mixed Oxidant Solution.....

- Systematically optimized for ease of use, reliability, and performance
- Modular electrolytic cells for up to 4x expanded capacity without additional space
- Transformer-less design operates with Allen Bradley MicroLogix 1400 controls, self-cleaning and self-adjusting flow control for a virtually maintenance-free system
- Smallest footprint available – ideal for retrofits and tight spaces





Applications & Markets

Our customers have a diverse range of needs across markets.

Agriculture

Biofouling

Control Chloramination

Cooling Towers

Fe/Mn Removal

Frac Water Disinfection

Odor Control

Produced Water Recycling

Potable Water Disinfection

Slime and Algae Control

Swimming Pool Sanitation

Zebra Mussel Control

Drinking Water

Food And Beverage

Pulp and Paper

Poultry And Meat

Processing

Rubber Processing

Wastewater/Reuse

Sodium hypochlorite or mixed oxidant solution for industrial cooling water treatment improves safety and thermal efficiency, lowers general corrosion rates, increases performance, and saves money.

The unique qualities of MIOX mixed oxidant solution help lower oxidant levels introduced into the cooling tower which lowers corrosion rates by up to 80% in copper and 50% in steel, resulting in a reduction of downtime and maintenance.

Our MIOX product line also includes the Bromine Oxidant Solution System (BOSS) option for producing bromine to be used in cooling tower treatment programs.

De Nora on-site sodium hypochlorite generation systems are used in surface and groundwater treatment plants in both pre-treatment and final disinfection applications. Communities rely on De Nora proven chemistry for improving the quality and safety of drinking water. Decades of experience providing clean, safe drinking water ranges from small rural communities to cities like the city of Bogota, Colombia, with more than 10 million people.

As one of the world's most precious natural resources, the reuse of water has never been more important. On-site generation is both a cost-effective solution and a preferred technology for treatment of wastewater for reuse or reintroduction into the environment.



Putting customers first.

Experience the De Nora difference with local service and aftersales care that understands our customers, supporting you well beyond an equipment sale.

Technical support, field service, remote service, and operator training

Factory-trained technicians support your equipment with installation supervision, commissioning, warranty, and field service, and remote monitoring support is available for your convenience and peace of mind.

We'll train your operators to manage equipment optimally, and train your maintenance teams to ensure proactive, site-based maintenance for long equipment life and exceptional performance. With our 24/7 contact center, you can feel confident that we will be here for you if you need us.

Spare parts and consumables

Never worry about inferior replacement parts. Our spare parts are supplied directly from De Nora and guaranteed to be produced to the original specifications and tolerances for exact form, fit and function.

Upgrades & retrofits

We'll guide you through the process of bringing your equipment to current specifications and the latest product enhancements. Our automation option delivers closed-loop monitoring and operation of your equipment and peripherals. We can also provide retrofit and refurbishment of your aging non-De Nora assets to maximize their useful life.

Asset management and solutions

De Nora can assess the performance of your water treatment system to align with your current and future capacity, quality, and technology goals.

Financing flexibility

Upgrade to better and safer technologies with flexible options including financing, leasing, renting, or pay-per-use. Service contracts allow you to customize options that fit your needs as you manage operational risks proactively with planned service support.

Ask about financing flexibility to drive timely decisions and deliver the lowest total cost of ownership.



About De Nora

Backed by 100 years of experience, you can be confident in the reliability and safety of ClorTec® and MIOX® On-site Chemical Generators. De Nora is the partner-of-choice for communities and companies around the globe. In fact, more than 500 million people around the world drink water treated by De Nora products every single day.

